

Pattern Detection

The Pattern Detection tool reveals up to 20 patterns to support assessment during the consultation.



Data represented in the image is for illustrative purposes only. Not actual patient data.

Patterns are organized in 5 different groups:

- Hypoglycemia Hyperglyemia Blood glucose variability
 - Use of the systems Treatment adherence

Group indicators are shown next to each patterns group by using an easy-to-read visual code.







Data represented in the image is for illustrative purposes only. Not actual patient data.

On the Trend Graph, blood glucose values triggering a pattern to red are highlighted with a red circle on the graph and will blink three times before becoming static circles. Hover over the red circles and a pop-up card appears, which gives information about the value and the pattern(s) triggered by this value.

•	Arieal Arlington			PATIENT NUMBER		DATE OF BIF 02/01/198	TH:)	DIABETES TYPE: TYPE 2		CENTER: EMEA LATAM		Patient Settings 🗸 🗸						
≡ home	Ĥ	22/09/20 -	→ 05/10/20	«	<		04/2020	05	2020	06/2020		07/2020	08/2	020	09/2020	0	10 / 2020	> »
patient dashboard	<u>r</u>	100 70- 50-		XX	k	k	XX	J.X			×	¥ 1	¥ ¥	×V	*×/	X**		
patterns		0 SEP / 2020	2	23 24		25	26	27	28	29	3	ост	1	2		4	5	5
IIII stock		Last Configured DATE CONFIGURED: GRAEME HARVEY - OCTOBER 6 2020 AT 16:15								() GO TO PATTERNS CONFIGURATION								
	H	Нуродисема нурегоцусема							•								ED EN CE	
upload data i info ? help		HYPOGLYCEMIA TREND Triggered when: 1 or more of the hypoglycemic events a day occur on 2 consecutive days							HYP	HYPOGLYCEMIA TREND Triggered when: 1 or more of the hypoglycemic events a day occur on 2 consecutive days						۲	2	ß
		InfPODICERIA DUE TO HYPERCLICEMA OVERCORRECTION Triggered when: 2 or more of the hypoghycemic events have a previous hyperghycemic event within a 2-hour window							Trigge								0	
		MORE DET/	MIA IN TIME BLOC en: 2 or more hypo MLS V	K glycemic events occur in	n the same time blo	ck over 7 days				(Reset D	efault Settings	5	ive Configura	tions	9		0

Data represented in the image is for illustrative purposes only. Not actual patient data.

While patterns are pre-defined, you can make changes to the pattern at any time in the **Configure Patterns section**.





Ar	rieal рати	IENT NUMBER	DAT	E OF BIRTH:	DIABETES TYPE:	CENTER:		Patient Setti	
Ar		ACCU-CHEK GUIDE ME METER		01/1980	TYPE 2	EMEA LATAM			
	CURRENT TIME PERIOD COMPARE TIME PERIO	DS							
		_							
	A Waskly Intervals								
		AUG 31 - SEP 06	SEP 07 - SEP 13	SEP 14 - SEP 20	SEP 21 - SEP 27	SEP 28 - OCT 04	OCT 05 - OCT 05		
	<u>«</u> (–	2020	2020	2020	2020	2020	2020	— V W	
	HIPOGLICEMIA							^	
	Hypoglycemia Trend								
	Triggered when: 1 or more of the hypoglycemic events a day occur on 2 consecutive days		•		•				
	Hypoglycemia due to Hyperglycemia Overcorrection								
	Triggered when: 2 or more of the hypoglycemic events have a previous								
	window								
3									
3	Hyponlycemia in Time Block								

It is also possible to view your patient's pattern data as a comparative table. Simply click the **Compare View** tab in the top-left section above the graph. You then display patterns in weekly, monthly or quarterly intervals.